



Flexible construction with concrete blocks



COMPREHENSIVE RANGE OF BLOCKS

MODERN MANUFACTURING FACILITY

IN HOUSE ENGINEERING DEPARTMENT

COVERS AVAILABLE

PLACEMENT BY MODULOBLOC

SAFETY = YOURS AND OUR PRIORITY



A PRODUCT ADAPTABLE TO YOUR NEEDS

Height of blocks 80 or 60 cm:

- Our comprehensive range of block sizes and shapes gives **the UK widest choice**
- Call to discuss your load requirements and allow us to build a quotation to suit your project



INDOOR OR OUTDOOR INSTALLATION

Our modular stacking blocks are self-supporting: they are stable due to their weight and do not need to be secured any further.

BASE

- Optimal distribution of the wall pressure on the slab
- Larger stability
- You can achieve greater wall heights with modulo



WE THINK OF THE ENVIRONMENT!

ECO₂ beton
RE-USE of aggregates
in our products!

BLOCK 80 CM

- Higher storage
- Possibility of attaching a roof
- Wider span
- Higher stability
- **Market leader in the industry**

Offers a stable solution for storing

- paper, cardboard
- recycling materials
- de-icing salt
- hardening waste
- old metals

BLOCK 60 CM

- For lower-density materials
- A well-established product in the CBS range

Offers a stable solution for storing

- green waste
- compost
- turf
- fertilizers
- sand, gravel






SAFETY IS OUR PRIORITY!

For every project we can provide you with an adjusted analysis report based on the following parameters:

- Density of the product
- Slope
- Internal friction angle



FIRE RESISTANCE ≈ 4 HOURS

Proof that Modulo blocks are sufficiently resistant against high temperatures.

EXTRAS NEW RELEASES

Blocks with steel

Higher lifespan when using a bucket



A-Block


- Lower self weight
- Fast installation
- Can be combined with Modulo blocks
- Greater loadings possible
- Customisation: angular, length adjustment



Blocks on request



Possibility to purchase a clamp



ROOFING SYSTEMS

Temporary or permanent covered warehouses

Sliding roof

THE ROOF OF CHOICE FOR SALT STORAGE

- With stainless aluminium panels of AIMG3 quality
- Optimal guarantee for density
- Ideal solution for the safe protection of delicate products (fertilizers, cereals...)
- Facilitates obtaining your building permit application
- Span 3 to 15 m, depth 5 to 40 m

Modular round roof without trusses

THE PRICE-CONSCIOUS CHOICE FOR LARGE SPANS

- Span 10 to 35 m, unlimited length
- Galvanized or lacquered
- Self-supporting and quick to assemble
- Weatherproof

Light roof metal-textile

FOR SMALLER SPANS

- Galvanized
- Coated cloth 630 gr white or grey
- Span 8, 10 or 12 m


Aluminium roof

THE SOLUTION FOR MAXIMUM HEADROOM


- Aluminum panels 650 gr
- Possible with 4 sides
- Span up to 40 m
- Easily demountable and adaptable to your needs




BASIC RANGE




160 x 80 x 80 cm
2360 kg




160 x 80 x 80 cm
2320 kg




180 x 60 x 60 cm
1460 kg




120 x 80 x 80 cm
1770 kg




120 x 80 x 80 cm
1740 kg




120 x 60 x 60 cm
980 kg




80 x 80 x 80 cm
1180 kg




160 x 80 x 80 cm
1730 kg



60 x 60 x 60 cm
480 kg




40 x 80 x 80 cm
590 kg




160 x 80 x 80 cm
1800 kg




180 x 60 x 60 cm
1250 kg




160 x 80 x 80 cm
1750 kg



120 x 60 x 60 cm
750 kg




200 x 239 cm
5245 kg



160 x 80 x 80 cm
2150 kg



120 x 60 x 60 cm
915 kg



160 x 80 x 80 cm
1800 kg

Modulobloc by CBS Beton

Hooimeersstraat 8, B-8710 Wielsbeke

T +32 56 61 75 37 - F +32 56 61 75 39

info@cbs-beton.com

www.cbs-beton.com